2021

1. ····· 5
2. ····· 5
3. ····· 6
4. ····· 6
5. ····· 13
6. ····· 15
7. ····· 23
8. ····· 26
9. ····· 25
10. ····· 29
1 ····· 31
2 ····· 36
3 ····· 43
4 ····· 53

1.

2.

2.1

/

/

2.2

2.3

2.4

2.5

2.6

蓝天科技

4.1 丬 亅

/

4.1.1

/

1 /

2 / / /

3

4

5

6

4.1.2

1

/

/

NESIL



SED mg/kg·bw/day

A mg/kg·bw/day

C %

DAp %

4.4

/

LCR

/

4.4.1 /

= ————————

MoS

NOAEL

BMD



MoS≥100

10 10

MoS

MoS 100

4.4.2 /

/

LR

1 T_{25}

HT

$$HT_{25} = \frac{T_{25}}{(\quad / W \quad)^{0.25}}$$

T_{25} B



mg/kg·bw/day

10^{-5}

$\geq 10^{-5}$

4.4.3

/



5.1

/

/

5.2 ╥ /

/ /

/

5.3

/

5.4 Ὠ

/

5.5 Ὠ ὕ ὖ

/

5.6 ɟ

/

5.7 ╛

28 / /

5.8 ǂ

/

5.9 /

谱标科技

5.10 ש ר



6.

6.1 `H æ ∕ ∑

6.1.1 /

6.1.2

Ï Ë بم شه مح ّلت ّدز ه v ╣

6.1.3

ǐ قم

6.1.4 WHO FAO

6.1.5

IFRA

6.1.6

TTC

6.1.7

/ Grouping/Read Across

/ 1

2

3

4

6.1.8

6.2. ع ا .

6.2.1

INCI

CAS EINCES

6.2.2

6.2.3

6.2.4

/

6.2.5 /

/

6.2.6

/

6.2.7 Log Pow

6.2.8

6.2.9

6.2.10

UV-VIS

6.2.11

6.3

6.3.1

1

2

3

4

5

6 /

6.3.2

1

2

3

4

5 ;

6 ;

7 ;

8

9 /

6.3.3 ,

1

2

3

4

5

6

7

8

9

10

11

12

13

14 /

15

6.3.4

1

2

3 /

4

5

6

7

8 /

6.4

/

IFRA

7.

7.1 æ ∧ ∑

7.1.1

7.1.2 /

/

7.1.3

7.1.4

7.1.5

7.3 ¸ ¸ æ

7.3.1

/

7.3.2

谱标科技

3

;

4

7.5 ˜Ḥ . ჯ æ

7.5.1

7.5.2

7.5.3

7.5.4

8.

8.1. ჯ ∧ `H æ Կ

1

8.2. ჯ ¸ ჯ `H æ Կ

2

3,

4

9

9.1. ɜ ˏ ɜ ˋH æ ɥ Ґ . Є˝

9.1.1

9.1.2 WHO

FAO SCCS

CIR

GRAS IFRA

˥ ɚ

9.1.3 3

"

10.

10.1 ㄴ Ґ Hazard Є

10.2 Ґ Risk Є

10.3 Ґ Risk Substance Є

10.4 ㄹ Ґ Dose Є

mg/kg·bw

10.5 ㄴ ㄲ ㄹ Ґ No Observed Adverse Effect Level Ї NOAEL Є

10.6 ㄴ ㄲ ,

10.7 !! ╛ Ѓ Benchmark Dose Ï BMD Є

1% 10%

10.8 ẅ Ѓ Threshold Effects Є

10.9 ẅ Ѓ Non-Threshold Effects Є

10.10 `H Ѓ Systemic Exposure Dosage Ï SED Є

mg/kg·bw/day

10.11 `H ẅ Ѓ Margin of Safety Ï MoS Є

NOAEL BMD

10.12 Ғ قد Ѓ Uncertainty factor, UF Є

100

10.13 ˜ Ǜ Ѓ Acceptable Riqf ʿ Ị A

10.14 T_{25}

10.15 ώ ῇ Ѓ Acceptable Daily Intake Ï ADI

10.16 ὔ ῇ Ѓ Tolerable Daily Intake Ï TDIЄ

10.17 ἴ ╛ Ѓ Reference Dose Ï RfDЄ

10.18 ╛ Ѓ No Expected Sensitization Induction Level Ï NESILЄ

10.20 ɟ /ˏ ǖ ǐ Ѓ Grouping/Read Across Є

/ /

“ ”

/

1.

2.

3.

4.

谱标科技

1

…… 35
…… 35
…… 35
…… 36
…… 37
…… 37
…… 37
…… 37
…… 37
…… 37

xx CAS xxx xxx

xxx xxx xxx MoS

xxx xxx xxx

1

INCI CAS EINCES

2

3

4

5 /

6

7

8

9

10

11

12

1. ⺊ ⺃ :

1.1

1

2 /

3

4

5

6

7

8

9 /

10

11

12

1.2

……

2. ╛ ǔ ĩ æ E

……

3. æ E

……

4. E

……

海洋科技

2

_____

/ _____

/ _____

_____

_____

_____ _____ _____

…… 40
…… 40
…… 40
…… 40
…… 40
…… 41
…… 41
…… 41
…… 41
…… 42
…… 42
…… 42



5

6

7

8

9 /

10

11

2. ╛ ǔ ĩ æ :

……

3. æ :

……

4. :

……

……

谱标科技

……

……

……

谱标科技

3

/

/

福昕软件

xxx

1,3-

FUCUS VESICULOSUS

8

1	xxx		
2			
3		g/day	7.82*
4	1.00		
5		SED	SED=

谱标科技

	PARFUM	0.6000
	ARACHIDYL ALCOHOL	0. 6000
	PHENOXYETHANOL	0.5000
VESICUL	FUCUS VESICULOSUS EXTRACT	0.1000
Apis mellifera	HONEY	0.1000
	DIPALMITOYL HYDROXYPROLINE	0.0001

1

[1,2]

SED =1.3mg/kg bw/d

MoS=1000/1.3=769>100

FUCUS VESICULOSUS

CIR 5%

[3] 0.1000%

3 IFRA

4 1-

CnH2n+2O

1- 1-

50%

50%

蓝汛科技

[8,9]

7

10%

Ames MLA

MLA

TTC

Toxtree

III TTC 1.5μg/kg/day 90 μg/day

7.82 μg/day Cramer III TTC

3

/

SCCS

1,3-

0.1%

/

/

2015 2“

”

30mg/kg

0.1g/100g

0.002g/100g

FUCUS

VESICULOSUS

/

/

/

1

2

3

4

xxx

20xx xx xx

xxxxxxxxxxxxx

xxxxxx

1.

2015 2015 268

2. Ralph Gingell, Jeannie B. Kirkpatrick, and David R. Subchronic Toxicity Study of 1,3-Propanediol Administered Orally to Rats. International Journal of Toxicology, 2000,19: 27–32

3. Safety Assessment of Brown Algae-Derived Ingredients as Used in Cosmetics. Final report 2019 available from CIR

1 IFRA

GB/T 22731-2017

2 1,3-

3

4

4

_____

/ _____

/ _____

_____

_____

_____ _____ _____

…… 57
…… 57
…… 57
……59
……63
……64
……64
……65
……65
…… 65
…… 65

xxx

蓝信科技

1

		INCI /			
1		WATER		06260	
2		GLYCERIN		02421	
3		CETYL ALCOHOL		03526	
4		ARACHIDYL ALCOHOL		02992	
5		PHENOXYETHANOL		01294	4 37
6		PARFUM		07008	
7		DIPALMITOYL HYDROXYPROLINE		02255	

2

%

		%			%	%		
							50.000% 50.000% NOAEL 1000 mg/kg bw/day 1- /	

%

% %



%

% **%**

5 0.500

3

3

/

SCCS

2015 2

xxx

20xx xx xx

xxxxxxxxxxxxxxxx

xxx

20xx xx xx

xxxxxxxxxxxxxxxx

……

1.

2015 2015 268

2. Ralph Gingell, Jeannie B. Kirkpatrick, and David R. Subchronic Toxicity Study of 1,3-Propanediol Administered Orally to Rats. International Journal of Toxicology, 2000,19: 27–32

3. Safety Assessment of Brown Algae-Derived Ingredients as Used in Cosmetics. Final report 2019 available from CIR

1 1,3-

2 xxx

3

4 IFRA